

—OBX[®]—
AUBOUEIX

ACCESSORIES



MADE IN
FRANCE

100% FRENCH
DESIGN
CERTIFICATION
& MANUFACTURING

auboueix.com

— Auboueix SAS —

49, rue de l'Ancienne Mairie 92100 Boulogne-Billancourt, France • T. +33 1 46 05 76 21

LININGS

CE
NF EN 397

FIELD OF USE

COMFORT LINING ACCORDING TO EN 397



Ref.: 0322

EWD SANICONOUR STANDARD COMFORT LINING 32 cm
IRIS2 / KARA / BRENNUS / IDRA / IDRA 2 / BUMP CAP



Ref.: 0322SM

MICROFIBER SANICONOUR COMFORT LINING
BLACK COTTON VELVET ON FOAM 32 cm
IRIS2 / KARA / BRENNUS / IDRA / IDRA 2 / BUMP CAP



Ref.: 0322S

EWK FRONTAL LINING WITH HOLES
32 cm C TEX SPECIAL
IRIS2 / KARA / BRENNUS / IDRA / IDRA 2 / BUMP CAP



Ref.: 0322SMG

MICROFIBER SANICONOUR COMFORT LINING
GREY COTTON VELVET ON FOAM 32 cm
IRIS2 / KARA / BRENNUS / IDRA / IDRA 2 / BUMP CAP



Ref.: 0322E

MICROFIBER SANICONOUR PLUS COMFORT LINING
GREY 32 cm
VOGH



Ref.: 0322SMID2

MICROFIBER SANICONOUR LARGE COMFORT LINING
GREY COTTON VELVET ON FOAM 32 cm
IRIS2 / KARA / IDRA / IDRA 2

FEATURES

- HYPOALLERGENIC HEADBAND
- LENGTH: 320 mm

TESTS

EN 397

Thickness, pH value, washable
material content, according to EN 397

SELF-LOCKING RATCHET

FIELD OF USE

HEAD CIRCUMFERENCE ACCESSORY



Ref.: 0329CLI

BLACK RATCHET, ADJUSTMENT 49 TO 63 cm



Ref.: 0329CLIG

GREY RATCHET, ADJUSTMENT 49 TO 63 cm



FEATURES

- RATCHET WITH ADJUSTMENT DIAL
- ADJUSTMENT 49 TO 63 cm
- POLYETHYLENE

UNDER-HELMET BALACLAVA

FIELD OF USE

ANTI-COLD UNDER-HELMET
BALACLAVA, BLUE COLOR,
MODEL STEF



WASH AT
MAX 30°C



BLEACHING
PROHIBITED



IRONING
PROHIBITED



DRY CLEANING
PROHIBITED



TUMBLE DRYING
NOT ALLOWED



Ref.: 0385

FEATURES

- 100% TREVIRA POLYESTER BALACLAVA, 100 g/m², WATER-REPELLENT, FLAME-RETARDANT, FIRE RATING M1
- PERFORATED TOP WITH CENTRAL BAND
- 6 LOOPS FOR INNER HELMET HARNESS
- 140 g/m² FLEECE LINING
- VELCRO FASTENING
- NAVY BLUE COLOR
- ONE SIZE

BEANIE

FIELD OF USE

ANTI-COLD BEANIE
FOR WEARING
UNDER HELMET



WASH AT
MAX 30°C



BLEACHING
PROHIBITED



IRONING
PROHIBITED



DRY CLEANING
PROHIBITED



TUMBLE DRYING
NOT ALLOWED



Ref.: 0381

NAVY BLUE FLEECE 100% ACRYLIC



NF EN 397

FEATURES

- ANTI-COLD FLEECE BEANIE

SAHARIANNE FOR IDRA 2 HELMET

FIELD OF USE

SAHARIANNE ADAPTABLE TO IDRA 2 HELMET
FOR PROTECTION AGAINST ELECTRIC ARC
FROM SHORT CIRCUITS

CERTIFICATION

- ELECTRIC ARC RESISTANCE
CLASS 1 ACCORDING TO 61482-1-2



Ref.: 0385S1

FEATURES

- THE SAHARIANNE ADAPTABLE TO THE IDRA 2 HELMET (THANKS TO 4 BUTTONHOLES FOR PASSAGE OF THE TEXTILE HARNESS STRAPS AND THE HELMET CHIN-STRAP) IS MADE OF SINGLE-LAYER FLAME-RETARDANT FABRIC, CLASS 1 ACCORDING TO NF EN 61482-1-2
- FABRIC COMPOSITION: COTTON 74% - POLYESTER 25% - ANTISTATIC FIBERS 1%
- DIMENSIONS: 340 x 170 mm
- WEIGHT: 23 g

HYPERKEWL COOLING HELMET LINER

FIELD OF USE

ANTI-HEAT
HELMET LINER



MACHINE
WASH
40°C MAX



Ref.: 0385HYPER



FEATURES

- NATURAL EVAPORATIVE COOLING
- TEMPERATURE 5 TO 8 °C LOWER THAN AMBIENT
- COOLING EFFECT FROM 5 TO 10 HOURS
- MORE THAN 150 USE CYCLES
- KEEPS CLOTHES UNDERNEATH DRY THANKS TO A WATERPROOF LAYER
- ULTRALIGHT: 20 G

COOLING NECK PROTECTOR

FIELD OF USE

ANTI-HEAT
NECK PROTECTOR



HAND
WASH
ONLY



Ref.: 0385PNR



FEATURES

- RAPID COOLING BY EVAPORATIVE POLYMER TECHNOLOGY - EFFECT UP TO 4 HOURS
- EFFECTIVE SUN PROTECTION WITH INTEGRATED NECK PROTECTOR
- UNIVERSAL ATTACHMENT VIA VELCRO ON ALL HELMET TYPES
- OPTIMAL COMFORT THANKS TO 100% COTTON FABRIC, SLIM AND LIGHT PROFILE
- REUSABLE AND EASY TO MAINTAIN - FAST REHYDRATION

ANTI-UV AND ANTI-HEAT NECK PROTECTOR

FIELD OF USE

ANTI-HEAT NECK PROTECTOR



Ref.: 0385PNUV



FEATURES

- VERY HIGH UV PROTECTION (UPF 50+, COMPLIANT WITH AUSTRALIAN STANDARD AS-NZS 4399)
- ULTRA-LIGHT (75 g), COMFORTABLE EVEN IN EXTREME HEAT
- ANTI-INFRARED TREATMENT LIMITING HEAT BUILD-UP FROM SUN
- FITS ALL OBX HELMETS (ONE SIZE)
- HIGH VISIBILITY COLORS (WHITE AND ORANGE) WITH HIGH VISIBILITY BAND (EN 20471 STANDARD)

PVC-COATED FABRIC NECK PROTECTOR

FIELD OF USE

PROLONGED
OUTDOOR USE



FEATURES

- ORANGE PVC-COATED FABRIC 320 x 230 mm
- HIGH VISIBILITY
- EASY ATTACHMENT TO ALL AUBOUEIX HELMETS
- LIGHTWEIGHT AND COMFORTABLE, COVERS THE VULNERABLE NECK AREA
- PROTECTION AGAINST UV RAYS, RAIN AND DEBRIS IN FOREST ENVIRONMENTS

INSTRUCTIONS FOR USE

- LOOP FASTENING, TO BE ATTACHED INSIDE THE HARNESS

LEATHER NECK PROTECTOR

FIELD OF USE

PROTECTION AGAINST
METAL SPLASHES



FEATURES

- LEATHER PROTECTION 320 x 230 mm
- EASY ATTACHMENT TO BRENNUS, IRIS 2, KARA HELMETS
- LIGHTWEIGHT AND COMFORTABLE, NECK AREA COVERAGE

INSTRUCTIONS FOR USE

- LOOP FASTENING, TO BE ATTACHED INSIDE THE HARNESS

REFLECTIVE STICKER KIT

FIELD OF USE

SET OF 6 RETRO-REFLECTIVE STICKERS



Ref.: 0349
SILVER

COMPLIANT WITH EN 397:2025 STANDARD
FOR IMPROVED VISIBILITY IN LOW-LIGHT
CONDITIONS



Ref.: 0349R / 0349V / 0349J / 0349F
RED, GREEN, YELLOW, FLUO YELLOW



OBX BADGE HOLDER

FIELD OF USE

UNIVERSAL BADGE HOLDER
WITH SELF-ADHESIVE VELCRO
FOR SAFETY HELMETS



Ref.: 0376PB

MOUNTING ON KARA HELMET



Ref.: 0376VPL

BADGE AND LAMP HOLDER FOR VOGH HELMET

FEATURES

- THERMOPLASTIC INJECTED BADGE HOLDER,
FOR CREDIT CARD FORMAT BADGE
W: 85.6 mm x H: 53.98 mm

- ADAPTABLE ON HELMETS:
 - BRENNUS (REAR),
 - KARA (FRONT OR REAR),
 - IRIS 2 (REAR),
 - IDRA (FRONT OR REAR),
 - IDRA 2 (REAR).

- INSTALLED WITH FEMALE SELF-ADHESIVE
VELCRO WITH SUPPLIED MALE ADHESIVE VELCRO
TO POSITION ON HELMET



Ref.: 0376V

BADGE HOLDER
FOR VOGH HELMET

LAGO LAMPS



Ref.: IXO 2.0

IXO 2.0 HEADLAMP (MAX 212 LUMEN) USB RECHARGEABLE, ELASTIC HEADBAND, ADAPTABLE ON PLATE



Ref.: BXR 2.0

BXR 2.0 HEADLAMP (VARIABLE INTENSITY, MAX 142 LUMEN), ELASTIC + BATTERIES, ADAPTABLE ON BRACKET OR PLATE



Ref.: BXR 1.0

BXR 1.0 HEADLAMP (3 INTENSITIES, MAX 42 LUMEN), ELASTIC + BATTERIES, ADAPTABLE ON BRACKET OR PLATE



Ref.: 0370PLL

SELF-ADHESIVE PLATE FOR LAMP MOUNTING: BXR, BXR2, IXO 2.0

ENERGIZER LAMPS



Ref.: 0470MAP

ENERGIZER HARDCASE
PROMAGNET HEADLIGHT
400 LUMEN WITH OBX FRONT
MOUNTING PLATE



Ref.: 0470MP

OBX FRONT MOUNTING PLATE
FOR ENERGIZER HARDCASE
PRO MAGNET HEADLIGHT 400 L



Ref.: 0470MDAP

ENERGIZER HARDCASE PRO
HEADLIGHT REMOTE BATTERY
PACK, 3 AA, 600 LUMEN WITH
OBX FRONT MOUNTING PLATE



Ref.: 0470MDP

OBX FRONT MOUNTING PLATE
FOR ENERGIZER HARDCASE PRO
HEADLIGHT REMOTE BATTERY
PACK 600 L



Ref.: 0470HAP

ENERGIZER PROSERIES
FOCUSING HYBRID 500 LUMEN
+ OBX MOUNTING PLATE



Ref.: 0470HP

OBX MOUNTING PLATE
FOR ENERGIZER HYBRID
0470H



LAMPS AND MOUNTING PLATES

REFERENCE	DESIGNATION	 BRENNUS	 KARA	 IRIS 2	 VOGH	 IDRA	 IDRA 2	 BUMP CAP*
0370	LAMP BRACKET & CABLE PASS-THROUGH (SUPPLIED MOUNTED ON HELMET)	✓	✓	✓				
0499M	SET OF 8 BLACK HOOKS FOR ELASTIC AND LAMP	✓	✓	✓				
0499MID	SET OF 3 GREY HOOKS FOR ELASTIC AND LAMP					✓		✓
0463BXR1	BXR1.0 HEADLAMP (3 LIGHT LEVELS, MAX 42 LUMEN), ELASTIC + BATTERIES, ADAPTABLE ON LAMP BRACKET OR PLATE	✓	✓	✓	✓	✓	✓	✓
0463BXR2	BXR2.0 HEADLAMP (VARIABLE INTENSITY, MAX 142 LUMEN), ELASTIC + BATTERIES, ADAPTABLE ON LAMP BRACKET OR PLATE	✓	✓	✓	✓	✓	✓	✓
0463IXO2	IXO 2.0 HEADLAMP (MAX 212 LUMEN), USB-RECHARGEABLE, ELASTIC HEAD-BAND, ADAPTABLE ON PLATE	✓	✓	✓	✓	✓	✓	✓
0370PLL	SELF-ADHESIVE PLATE FOR MOUNTING BXR, BXR2, IXO 2.0 LAMP		✓	✓	✓	✓	✓	✓
0470MAP	ENERGIZER HARDCASE PROMAGNET HEADLIGHT 400 LUMENS WITH OBX FRONT MOUNTING PLATE		✓	✓	✓	✓	✓	✓
0470MP	OBX FRONT MOUNTING PLATE FOR ENERGIZER HARDCASE PRO MAGNET HEADLIGHT 400 L.		✓	✓		✓	✓	
0470MDAP	ENERGIZER HARD CASE PRO HEADLIGHT, REMOTE HOUSING 3 AA BATTERIES, 600 LUMEN, WITH OBX FRONT MOUNTING PLATE		✓	✓		✓	✓	
0470MDP	OBX FRONT MOUNTING PLATE FOR ENERGIZER HARDCASE PRO HEADLIGHT REMOTE HOUSING 600 L		✓	✓		✓	✓	
0471N	ENERGIZER ATEX LED HEADLAMP 130 LUMEN WITHOUT BATTERY		✓	✓		✓	✓	
0470HP	OBX MOUNTING PLATE FOR ENERGIZER HYBRID 0470H LAMP		✓	✓		✓	✓	
0470HAP	ENERGIZER PROSERIES FOCUSING HYBRID 500 LUMEN + OBX MOUNTING PLATE		✓	✓		✓	✓	
0470HV	OBX MOUNTING PLATE FOR ENERGIZER HYBRID 0470H LAMP FOR VOGH				✓			
0470HVP	ENERGIZER PROSERIES FOCUSING HYBRID 500 LUMEN + OBX MOUNTING PLATE VOGH				✓			

* **Bump Cap:** to adapt **ENERGIZER** lamps, use the hook set to secure the elastic band. OBX mounting plates for **ENERGIZER** lamps are not compatible with the bump cap.

The OBX adhesive mounting plate supplied with **LAGO LIGHT** lamps is compatible with the bump cap.

4-POINT CHIN-STRAPS

4-POINT CHIN-STRAPS, COMPLIANT WITH NF EN 397+A1: 2013, ADAPTABLE TO AUBOUEIX SAFETY HELMETS, MODELS KARA, IRIS 2, IDRA AND IDRA 2.



➤ REF. 0360B



➤ REF. 0360BJ



➤ REF. 0360BO



➤ REF. 0360BR



➤ REF. 0360V

FEATURES

- 4-POINT "MOUNTAIN" CHIN-STRAP IN SYNTHETIC FABRIC, QUICK-RELEASE BUCKLE FOR KARA, IRIS 2 AND IDRA HELMETS. AVAILABLE IN BLACK (REF. 0360B), RED (REF. 0360BR), FLUO YELLOW (REF. 0360BJ) AND FLUO ORANGE (REF. 0360BO). DIMENSIONS: WIDTH UNDER CHIN: 20 mm, LENGTH: 470 mm
- 4-POINT CHIN-STRAP IN SYNTHETIC FABRIC WITH V0 FLAME-RETARDANT ELASTOMER CHIN CUP, VELCRO FASTENING. COLOURS: GREY (REF. 0360G) FOR IDRA 2 HELMET, BLACK (REF. 0360) FOR IDRA HELMET, ALSO ADAPTABLE ON KARA AND IRIS 2 HELMETS. BLACK (REF. 0360V) FOR VOGH HELMET



➤ REF. 0360G

4-POINT GREY CHIN-STRAP WITH CHIN CUP FOR IDRA 2 HELMET REF. 0360G



➤ REF. 0360

4-POINT BLACK CHIN-STRAP WITH CHIN CUP FOR IDRA, KARA AND IRIS 2 HELMETS REF. 0360



➤ REF. 0360GPO

4-POINT GREY CHIN-STRAP WITH CHIN CUP AND EAR PROTECTORS FOR IDRA 2 HELMET REF. 0360GPO



➤ REF. 0360GPOC

4-POINT GREY CHIN-STRAP WITH EAR AND NECK PROTECTOR FOR IDRA 2 HELMET REF. 0360GPOC

FEATURES

- EAR-PROTECTOR VERSION IN BLUE FLAME-RETARDANT NOMEX FABRIC FOR IDRA 2 HELMET (REF. 0360GPO), FABRIC 74% COTTON AND 25% POLYESTER WITH 1% CARBON ANTISTATIC FIBRES, SEWN WITH KEVLAR. RESISTANCE TO ELECTRIC ARC FROM SHORT CIRCUITS: CLASS 1 ACCORDING TO NF EN 61482-1-2
- EAR AND NECK PROTECTOR VERSION IN BLUE FLAME-RETARDANT NOMEX FABRIC FOR IDRA 2 HELMET (REF. 0360GPOC). FABRIC 74% COTTON AND 25% POLYESTER DOUBLE LAYER WITH 1% CARBON ANTISTATIC FIBRES, SEWN WITH KEVLAR. RESISTANCE TO ELECTRIC ARC FROM SHORT CIRCUITS: CLASS 1 ACCORDING TO NF EN 61482-1-2.

TESTS

NF EN 397+A1 : 2013 Breaking strength of anchorage points according to NF EN 397+A1: 2013.

2 POINT CHIN-STRAPS

2-POINT CHIN-STRAPS, COMPLIANT WITH NF EN 397+A1: 2013, ADAPTABLE TO AUBOEUX SAFETY HELMETS, MODELS BRENNUS, KARA AND IRIS 2.



➤ REF. 0351

12 mm COTTON CHIN-STRAP



➤ REF. 0352

20 mm COTTON CHIN-STRAP
ALSO AVAILABLE IN BLACK
REF. 0352N



➤ REF. 0353

12 mm LEATHER CHIN-STRAP

FEATURES

- 2-POINT COTTON CHIN-STRAP: EQUIPPED WITH PLASTIC LOOPS WITH REINFORCED STITCHING. AVAILABLE IN ECRU WIDTH 12 mm (REF. 0351), ECRU WIDTH 20 mm (REF. 0352) OR BLACK WIDTH 20 mm (REF. 0352N). LENGTH 470 mm.
- 2-POINT LEATHER CHIN-STRAP: EQUIPPED WITH PLASTIC LOOPS WITH REINFORCED STITCHING. WIDTH 12 mm, BLACK COLOUR (REF. 0353). LENGTH 470 mm.

TESTS

NF EN 397+A1: 2013

Breaking strength of anchorage points according to NF EN 397+A1: 2013