

—OBX[®]—
AUBOUEIX

IDRA



MADE IN
FRANCE

100% FRENCH
DESIGN
CERTIFICATION
& MANUFACTURING

auboueix.com

— Auboueix SAS —

49, rue de l'Ancienne Mairie 92100 Boulogne-Billancourt, France • T. +33 1 46 05 76 21

IDRA

THE IDRA HELMET WITH INTEGRATED VISOR PROTECTS THE USER AGAINST CERTAIN LOW-VOLTAGE ELECTRICAL SHORT-CIRCUIT RISKS, LIQUID SPLASH-ES, DROPLETS, AND PARTICLES. WITH ITS DOUBLE SHELL, THE IDRA HELMET PROVIDES PROTECTION FOR BOTH THE HEAD AND THE FACE.

FIELDS OF APPLICATION



CONSTRUCTION
TRADES



PUBLIC
WORKS



INDUSTRIAL
SECTOR

ADVANTAGES

- INNER/OUTER DOUBLE POLYAMIDE SHELL
- CLEAR POLYCARBONATE VISOR, 1.7 mm THICK, OPTICAL CLASS 2
- ANTI-FOG AND ANTI-SCRATCH TREATED VISOR
- 2 SIDE LEVERS FOR LOWERING THE VISOR
- 6-POINT TEXTILE HARNESS, HEIGHT ADJUSTABLE
- RATCHET HEADBAND ADJUSTMENT 49 TO 63 cm
- 4-POINT CHIN STRAP WITH V0 FLAME-RETARDANT CHIN CUP
- OPTIONS: EAR MUFFS, HEADLAMP WITH MOUNTING PLATE, BADGE HOLDER, RETRO-REFLECTIVE STICKERS
- SUPPLIED WITH AN INDIVIDUAL PROTECTIVE BAG

CERTIFICATIONS

Certified in France by the notified body ALIENOR N° 2754

NF EN 397+A1: 2013 Resistance to penetration (3 kN) and shock absorption (5 kN).
Flame resistance.
Resistance to very low temperatures (-30 °C).
Electrical insulation.

NF EN 50365: 2002 Electrically insulating helmet for work on or near live parts not exceeding 1,000 V in alternating current and 1,500 V in direct current - Classe 0.



NF EN 166: 2002 Optical class 2, UV protection scale no.: 2-1, 2 in accordance with NF EN170: 2003

IDRA: CATEGORY 3



HELMET COMPONENTS

SHELL Double polyamide shell (outer and inner) injection-moulded, non-ventilated.

HARNESS Cap with 4 anchorage points and textile polyamide straps.
Low-density polyethylene headband with hypoallergenic anti-sweat Sanicontour 32 cm comfort padding or, as an option, Confort Plus.
Removable ratchet rear cradle adjustable 49 to 63 cm in polyamide and comfort foam.

INTEGRATED VISOR Polycarbonate, 1.7 mm thick, optical class 2 (permanent use), anti-fog treated on the inside and anti-scratch on the outside.
Retractable visor.
Dimensions: 310 x 170 mm.

CHIN-STRAP 4 anchorage points and adjustable Velcro® fastening with V0 flame-retardant chin cup.

COLOURS

PANTONE / RAL

reference



WHITE

RAL9003

0251JMS

CUSTOM MARKING

The IDRA helmet can be customised with front, side or rear marking by hot stamping.



12

Packaging by colour: cartons of 12 pieces · Carton dimensions: L810 x W510 x H350 - 10 kg

The manufacturing date, usage limit and batch number are engraved under the helmet visor. | AET N° 2754/0090/158/06/19/0384